

## CLAIMS

I claim:

1. An pegboard hook comprising:

a straight portion;

an angled portion connected to the straight portion;

wherein the angled portion is connected at about a one hundred and twenty degree angle with respect to the straight portion.

2. The apparatus of claim 1 wherein

the angled portion is connected to the straight portion through an intermediate portion; and

wherein the intermediate portion is connected to the straight portion at about a ninety degree angle.

3. The apparatus of claim 1 wherein

the straight portion is connected to an elongated member which is substantially parallel to the straight portion.

4. The apparatus of claim 1 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

5. The apparatus of claim 2 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

6. The apparatus of claim 3 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

7. The apparatus of claim 1 wherein

the straight portion is connected to a first plate.

8. The apparatus of claim 2 wherein

the straight portion is connected to the member through a first plate.

9. The apparatus of claim 5 wherein

the straight portion is connected to the member through a first plate; and

the straight portion is connected to the extension through the first plate.

10. The apparatus of claim 8 wherein

a first end of the member is connected to the first plate and a second end of the member

is connected to a second plate.

11. The apparatus of claim 9 wherein

a first end of the member is connected to the first plate and a second end of the member is connected to a second plate.

12. A method comprising

inserting a pegboard hook into a pegboard;

wherein the pegboard comprises

a straight portion;

an angled portion connected to the straight portion;

and wherein the angled portion is connected at about a one hundred and twenty degree angle with respect to the straight portion.

13. The method of claim 12 wherein

the angled portion is connected to the straight portion through an intermediate portion; and

wherein the intermediate portion is connected to the straight portion at about a ninety degree angle.

14. The method of claim 12 wherein

the straight portion is connected to an elongated member which is substantially parallel to the straight portion.

15. The method of claim 12 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

16. The method of claim 13 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

17. The method of claim 14 wherein

the straight portion is connected to an extension having a first portion and a second portion; and

wherein the first portion of the extension is at an angle with respect to the second portion of the extension.

18. The method of claim 12 wherein

the straight portion is connected to a first plate.

19. The method of claim 13 wherein

the straight portion is connected to the member through a first plate.

20. The method of claim 14 wherein

the straight portion is connected to the member through a first plate; and  
the straight portion is connected to the extension through the first plate.